

Notice of Allowability

Application No.

10/824,667

Examiner

Paul L. Rodriguez

Applicant(s)

ALEXANIAN, GEORGE

Art Unit

2125

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 9/1/05.
2. ☒ The allowed claim(s) is/are 1-26, 28, 32-44, 47-50.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

1. The after final amendment submitted 9/1/05 has been received, considered and entered. Claims 1-44 and 47-50 are presented for examination, claims 45 and 46 are cancelled by amendment.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mark Miller (Reg. 32277) on 9/15/05.

3. The application has been amended as follows:

Claim 27 has been cancelled.

Claim 28 has been replaced with

- 28. A method for automatically operating an irrigation controller comprising the steps of:
 - a. providing said controller with a preliminary irrigation schedule for a geographic location and approximate latitudinal information for the geographic location;
 - b. computing a water budget ratio by comparing values in a table of current local geo-environmental data with values in a table of stored local geo-environmental data, said local geo-environmental data comprising extraterrestrial radiation (RA) values arranged by date and by approximate latitude, by

Art Unit: 2125

1. computing a standard temperature budget factor using said stored local Geo-environmental data by multiplying an expected maximum temperature for a time frame by an extraterrestrial radiation value for said geographic location;
 2. computing a periodic temperature budget factor using said current local geo-environmental data by multiplying an actual recorded maximum temperature taken over a previous predetermined time period by an extraterrestrial radiation value for said geographic location during said predetermined time period; and
 3. dividing said periodic temperature budget factor by said standard temperature budget factor; and
- c. modifying said preliminary irrigation schedule based upon said ratio.--

Claim 29 has been cancelled.

Claim 30 has been cancelled.

Claim 31 has been cancelled.


Art Unit: 2125

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul L. Rodriguez whose telephone number is (571) 272-3753. The examiner can normally be reached on 6:00 - 4:30 T-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo P. Picard can be reached on (571) 272-3749. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Paul L Rodriguez
Primary Examiner
Art Unit 2125

PLR
9/21/05